

Inventor:

[001]	<u>Related Application</u>
-------	----------------------------

[003] Field of the Invention

[005]                    Background of the Invention

November 27, 2000

when the article occupies only a space which is smaller than the size of a standard paper, e.g. 8.5 inch by 11 inch. The process can become more tedious, when the article is printed across several pages, with different dimensions on each page. As can be appreciated by anyone who has tried to clip a multi-page article from a newspaper such as the Wall Street Journal, the efficient space management achieved by the publishing staff made a terrible and inefficient task for the readers who want to clip, save, file, photocopy or fax the article.

[008] Even if the article is successfully clipped and filed away by the reader, it is then incumbent upon the reader's own filing systems to ensure that she can locate the clipped article later from her files when she needs it. For those who receive the clipped article faxed or mailed from this reader, their own filing systems also become a key if they wish to locate the same article from their own files later. In other words, the whole process is a terrible waste of time with no guarantee of precise retrieval. In a world where progress is made by the sharing of information, the printed newspaper and magazine have little value, other than conveying the printed information to the reader during reading. They are no way near being conduits for saving, sharing and distributing information.

[009] Compared to clipping the article from a newspaper and photocopying it, getting the article from a magazine is relatively simpler, since most magazines are of a standard size. Even so, if a reader wishes to file, share, or fax an multi-page article from a magazine, the reader must still flip through all the pages to make a photocopy of the article. Again, the practice of placing advertisements on each pages, which is considered revenue-generating for the publishers, makes it quite inefficient for readers who want to save the article or share with others. An article may be only 1 page long, but with the insertion of advertisements, the article now spans across 5 pages. Worse yet, many technical periodicals, e.g. InfoWorld or EE Times, do not come in standard sizes. Clipping the articles for filing, copying and forwarding in those magazines thus becomes irritatingly time-consuming and inefficient. Further, even the article is adequately clipped and distributed, the same problem of storing, filing, distributing the clip reoccurs.

[010] Faxing the clipped article creates another undesirable feature, since sequential faxing of the same article makes sequentially poorer quality of fax copies.

And that is after going through the trouble of clipping, trimming, pasting, and photocopying etc.

[011] The aforementioned problems apply to those who still like to read the printed newspaper or magazine, which is still the majority of the general public. Those using the Internet as their only source of information tend not have the same problem, since they get whatever that is presented on the web. When an Internet client browses the LA Times web site and finds an article he wishes to file for future reference, or to share with a colleague or a friend, he can take advantage of some utilities provided by the web site. For example, most are familiar with the tool such as "TO E-MAIL THIS ARTICLE TO A FRIEND," where with a few mouse clicks, the digital article is on its way to any recipient the Internet client desires, including the client itself. The Internet client can also use a print utility to print the article for his own reading or filing. Without question, such digital information can readily be saved, filed, forwarded, shared and distributed through the Internet. The teaming of PCs and the Internet makes it easy to store, share and file information in the digital format. However, nothing has been done for those who rely on the traditional printed media for information.

[012] The disconnect between the digital world and the conventional print world makes filing, sharing and distributing printed information quite burdensome. While everything in the digital and Internet world is replicable and distributable, the way to make use of the printed articles in newspapers and magazines is still no different from the early days.

[013] Therefore, the conventional way of clipping, photocopying, filing, or sharing a printed article from a newspaper or a magazine is inefficient. The conventional way also fails to guarantee easy and accurate retrieval.

[014] The disadvantages and irritations in accessing and handling conventional printed information can be found in every aspect of the process: clipping, retrieving, storing/saving, filing, or faxing. Each step takes time and efforts, not to mention the demand on paper, on photocopying cost, on faxing cost and on storage space.

[015] Even with the advent of the Internet and web servers, such needs are not entirely addressed. When a reader of the printed article goes to the web site to try to locate the article, he is often forced to start from the very top-level home page of the

[020] It is desirable to be able to locate a desired printed article quickly.

[021] It is also desirable to be able to store and retrieve the printed article efficiently.

[022] It is desirable to be able to distribute the printed article efficiently.

[023] It is desirable to enable others to store and retrieve the article just as efficiently.

[024] With computers and the Internet as ubiquitous as they are today, the above needs and desires can finally be addressed as will be disclosed in the following.

[025] Summary of the Disclosure.

[026] A method and system of using the Internet to retrieve printed articles is disclosed. The method of the present invention first tags each printed article that is to be published in print. The tag is also printed with the printed article to allow readers to identify. The printed article and its tag are collected and stored in a database, which is accessible through the Internet or the Worldwide Web. When a reader finds a printed article of interest to the reader on the print version of the media, the reader sends a request with the tag to the database. Upon receiving the request and the tag, the database is searched to locate the printed article. Upon locating the stored printed article in the database, it is transmitted to the reader's computer or to the reader's email address. Such article can now be stored, filed, distributed, shared in anyway the reader sees fit, all without having to labor through the traditional manual clipping tasks. Additionally, the delivery of each printed article is bundled with additional information relevant to the printed article based on pre-selected criteria.

[027] Another embodiment of the present invention is an aggregator of publishers' printed articles, where each printed article from each publisher is tagged and stored. The aggregator pre-registers Internet clients to provide access rights. Upon receiving a request from an Internet client, the aggregator first authenticates the Internet client and then searches its database for the desired article. Upon locating the article, the article is transmitted to the Internet client at his PC or at his predetermined email address.

[028] A further embodiment of the present invention is an aggregator that also has its database connected to a telecommunication gateway. When a reader finds an article of interest, the reader calls a pre-assigned number to make a request by entering the tag. Upon authenticating the caller, the request is processed and a search is

conducted. Once located, the printed article is transmitted to the reader's pre-registered email address or fax number.

[029] Brief Description of the Drawings.

[030] Figure 1 illustrates a simplified flow diagram of an exemplary method of the present invention.

[031] Figure 2 illustrates a simplified diagram of an exemplary system of the present invention.

[032] Detailed Description of the Invention.

[033] The present invention is directed to a method and system of using a computer or an information device to retrieve the digital version of a printed article through the Internet. In the following detailed description, numerous specific details are set forth to provide a full understanding of the present invention. It will be obvious, however, to those ordinarily skilled in the art that the present invention may be practiced without some of these specific details. In other instances, well-known structures and techniques, such as web servers, hosting, database management, Internet file transfer protocols, and telephone data entry, have not been shown in detail so as to avoid unnecessarily obscure the present invention.

[034] The present invention may be implemented by 3<sup>rd</sup> party information aggregator, such as Yahoo, AOL, or MSN.com, to facilitate the transfer of digital format of printed information between several publishers and end-users through the Internet. The present invention may also be implemented by the sources, i.e. publishers, themselves, thus providing a way for their readers to efficiently access and handle printed information through the power of the Internet. The main emphasis is on efficiency and accuracy in the retrieval, as opposed to

[035] Further, while the requested printed information is transmitted to the reader who requests the information through the Internet, additional information, such as content-related advertisement, can be bundled to such transmission. This bundled additional information, whether related to the subject matter of the requested printed information or not, provides a more targeted reach to the readers than the advertisement populated in the printed magazine or newspaper.

0995531 " 112801  
FOREF " 112801

[036] Bundling advertisement with the transmission of information to the requested readers can help achieve a means for generating revenue to offset the cost of implementing the retrieval service. For example, when a readers requests an article from the Wall Street Journal on, say, the future of 3<sup>rd</sup> Generation Wireless, the advertisement that can be bundled may come from those intimately associated with the 3G technology, such as the equipment provider, content provider, or service provider.

[037] Reference is to Figure 1, where a simplified flow chart of the methodology in accordance with the present invention is illustrated. The present invention is implemented by first identifying (block 10), or tagging, each piece of printed information ("article") with a unique code, a combination of codes, a combination of words or key words, or their equivalents (collectively called "tags"). Once the article is associated with its tags, the article is collected and stored (block 12) in a database, from which the article may be accurately retrieved based on any one of the tags. The article, when it is in print (block 11), will also include at least one of the tags ("default tag"), which may be a designated code such as, for example, "LAT-11272001-B1-4" to identify an article on Section B1, page 4, of the LA Times on 11/27/2001. Those skilled in the art can easily determine the most convenient tags and default tags for use with newspaper and magazine readers. Also, such tagging and retrieving of information in general, on-line or not, is well-known to those skilled in the art of database management and Internet data transfer.

[038] The database may be set up by the publishers themselves, or the database may be transferred to the care of a third party aggregator (block 14). When a reader finds an article of interest from the newspaper, instead of physically going through the conventional steps of clipping and photocopying mentioned above, the reader simply takes down the default tag of the article. Thereafter, the reader can go to the web site, where the database is maintained, to request such article using the default tag (block 16). The server, upon receiving the default tag, will search the database to locate the article based on the default tag for the reader (block 18). Delivery of the article (block 20) may be done real-time, or done by email to the reader's email address, if the reader is not at his personal computer.

[039] It should be noted that the reader can gain access to the server in more than one way. For example, the reader can pre-register at the web site (block 13), and then enter through password authentication. Once the reader is authenticated (15), all of the requests will be filled based on pre-registered information. This first method is more conducive to a system of collecting a user fee, user information or user preference, upon pre-registration, since the information is collected once. Alternatively, the web site may be set up to allow any reader to make a request at the web site, much in the same way any user can access the search engines provided by yahoo.com or google.com. The requests will be filled based on the email address supplied by the reader at that time. For corporate or government users, the web site can also be set up to provide access based on one common password, provided that the reader's email address has the same domain name as the registered corporate or government entity, e.g. smith@uspto.gov.

[040] In terms of tagging the article, the publisher can, of course, implement its own system of tagging, provided that each article within a specific newspaper or magazine can be identified through one or more tags, preferably always including a default tag which is printed along with the article. In other words, there should preferably be more than one tag for each article in the world's printed publication. Additionally, the tag may be made user-friendly by including the author's name or initial. As mentioned above, the tool RealName may be used to facilitate the naming and retrieval.

[041] The following illustrates several ways to tag an article written by David Colker of the Los Angeles Times, on November 27, 2001, on page A1, entitled The WEB NEVER FORGETS:

- a. Default Tag: LAT11272001-A1-1;
- b. LA Times, A1, Colker;
- c. LAT, Colker, The Web;
- d. LA Times, David Colker, 11/27/2001;
- e. Los Angeles Times, David Colker, The Web Never Forgets.

[042] As can be appreciated by those skilled in the art of search engines, a search engine system such as www.google.com can easily search based on a combination of key words. Therefore, searching an article out of the database of articles, with pre-

095531.12801



established tags, can be readily implemented with pin-point accuracy. It should be noted that one may create criteria for article's inclusion and not all articles need to be included. For example, it may be that in a magazine, all articles of a given section, interest, content, advertisement potential may be included. For those news briefs taking up very little space, one may decide not to include them, or may decide to bundle them as one from the same section.

[043] Further to the search engine, this system in accordance with the present invention can be initiated with essentially a look-up table, where a tag, or tags, uniquely specifies an article in a printed publication. When the publication is prepared for circulation, the article is assigned its default tag, which is printed along with the article so that a reader can readily tell what the default tag is for the article she is reading. If the article takes up multiple pages of a newspaper or a magazine, the default tag can be printed out at the beginning or end of the article. As will be described below, the lengthier the printed article, the more efficiency can be realized by the system of the present invention.

[044] With each of the selected printed articles being identifiable by at least one tag and being stored in digital format, the present invention can now be physically implemented as illustrated in Figure 2, which illustrates a simplified block diagram of one embodiment of the present invention.

[045] Referring to Figure 2, a global computer information network such as the Internet 100 connects to various clients, such as readers, and servers, such as publishers or aggregators. Connected to the Internet 100 is server and storage unit 105 operated by or for a magazine publisher. A newspaper publisher may have its server and storage unit 115 also connected to the Internet. A third-party aggregator, who operates to collect articles, is also connected to the Internet 100. Clients A 130, B 125, C 135 can be information processing device, operated by readers A, B, C respectively. A client D 136 can be a telephone or wireless phone accessing the Internet through a telecommunication gateway 140. It should be understood that an information processing device may be any device, such as PCs, data terminals, or PDAs, that provides access to the Internet for data entry and retrieval.

[046] The method in which communication between the servers, storage units and clients and the Internet takes place is well known to those skilled in the art of Internet technology. For example, TCP/IP is one of the most common Internet protocols. If client D 136 is a wireless phone, the communication can go through either the conventional gateway, or through Wireless Access Protocol ("WAP").

[047] Retrieval through the Web. Let us assume that the magazine publisher has a database stored in the storage unit 105, whereas the database contains the digital format of selected articles which have been printed for circulation. As previously described, each article, or file, so designated is identifiable by one or more tags. When a reader A of the printed magazine reads an interesting article, which has a code of BW101813, the reader can use his PC 130 to access the server and storage unit 105, through the Internet 100, to request a file matching the code BW101813. Upon receiving the request, the server and storage unit 105 respond by searching and sending the article matching the code BW101813 to the client A 130. The requesting, searching and replying are preferably done in a web-based environment for both the client and the server, as is well-known. Responding can be done by email or web download; articles can be either downloaded from the web site or be emailed to the requester's mailbox.

[048] Now, the reader A has a digital copy of the article he is interested in. He can save and file it in his own PC with appropriate key words. He can email the article to his colleagues, next door or overseas, who similarly can save and file digitally. All this saving, filing, sharing, forwarding, distributing do not involve any of the aforementioned physical clipping, photocopying, faxing or scanning. The information, upon arrival, is ready to be handled in any way the recipient desires.

[049] It should be noted that the server and storage unit 105 at the magazine publisher should preferably have some search tool to facilitate the searching based on the tags or the default tag. Such search tool, e.g. *www.google.com*, is quite well known to those skilled in the art of database management and the Internet. Also, it should be understood that the server and storage unit may be one operated by a third party 110, or one operated by a newspaper publisher 115, as long as the reader has a way of easily finding the web site for the server.

[050] As mentioned above, the reader can gain access to the web site in a variety of ways, dependent upon how accessing is initially set up between the web site and the user, the user's employer (e.g. uspto.gov) or the user's affiliation (e.g. IEEE.org). The access may even provided by the user's Internet Service Provider such as AOL or AT&T Worldnet.

[051] Retrieval through E-Mail. Instead of interacting with the server's web site, the reader may send an email of a given format, e.g. the default tag in the SUBJECT field, to a server where the files are located. When the email is properly interpreted by the receiving host, instructions will be issued to retrieve and send the requested article to the requester. Responding can be done by email or web download by the reader. A common tag entry may include: name of newspaper or magazine, name of author, date, and page.

[052] Request to 3rd party aggregator. The publishers of newspapers and magazines may not wish to manage the servers and storage units for storing, searching and responding to readers' requests. Then a third party aggregator 110 can be used to collect all tagged articles from printed magazines and newspapers. Readers can issue their requests to a centralized aggregator for any articles. This way, readers do not have to go from one publisher's site to another, if the reader desires to retrieve articles from different sources. For example, Yahoo, due to its popularity, may become the aggregator site for Newsweek, Business Week, Wall Street Journal, Los Angeles Times, and many more. Readers will only have to go to "yahoo.com" to put in their requests and the articles will be e-mailed or downloaded for the requesters to keep.

[053] Telephone Request. While reading a newspaper or magazine, a reader may not have instant access to his computer for requesting the articles. In this case, telephone may be used to dial to a publisher's number or an aggregator's number. After authentication, the reader enters the codes for the articles he desires. The request will be forwarded to the server for execution, e.g. email the article, or link, to the reader. This way, when the reader goes to his computer and check his email, his requested article or link will be there waiting for him. Authentication is needed when the reader has pre-registered his email address with the content provider. Upon authentication, the request will be filled by the content provider emailing the article to the reader's email address.

0995931-112804  
T0821T-TE65660

[058] Advertisement bundling also creates a revenue model for the content providers or the publishers, who can either charge for the article-on-demand service or make it for free. If the reader gets the service for free, the reader may have to live with bundled advertisement. If the reader chooses to pay for the subscription, the reader will not get any bundled advertisement. If the reader is paying for the subscription, the

content provider can generate revenue from the articles it has already made money in print. If the reader gets it for free, the content provider can generate revenue from advertisers or merchants.

[059] The present invention can be implemented by a publisher or a third-party aggregator. For the publisher, the invention is a compatible tool for the publisher's database, which the publisher uses to store articles anyway. For a third party aggregator, the present invention is in the form of a tool for the aggregator to collect, store, search and retrieve articles from the publishers, through the Internet or other proprietary channels.

[060] The potential beneficiaries of the present invention are numerous. Individual consumers who want to save time in clipping articles for filing or for sharing. Corporations or governmental agencies who want to keep their employees from wasting time to clip, photocopy, fax, and physically file printed information. Schools or libraries will have instant access to any printed articles on demand. The savings in time, photocopying and faxing will be immeasurable. Just ask anyone who has tried to clip an article from the Wall Street Journal for filing and faxing.

[061] While specified features of the invention may be shown in some drawings and not others, this is for convenience and clarity of description only, it being understood that each feature may be combined with any or all of the other features of the invention. Similarly the particular selection of tagging, filing, delivering of information, etc., are illustrative of what is believed to be preferred; but further modifications will occur to those skilled in this art, and such are considered to fall within the spirit and scope of the invention as defined in the appended claims.

0995931.12801  
10821.1.165660